


## ENGINEERED RIGID VINYL PLANK

WHERE HIGH STYLE MEETS LUXURY FLOORING



LIFETIME LIMITED RESIDENTIAL WARRANTY

12 YEAR LIMITED MEDIUM COMMERCIAL WARRANTY





\*LV crossover sku = DLV701 - Midnight Mozart

# **DEV701 - Rod Iron Wolfgang**



**DEV702 - Ludwig Beige** 



\*LV crossover sku = DLV702 - Beethoven Beige



**DEV703 - Johann Brown** 



\*LV crossover sku = DLV703 Bach Brown





\*LV crossover sku = DLV04 - Gershwin Grey

# **DEV704 - George Grey**



\*LV crossover sku = DLV705 - Coastal Byrd

## **DEV705 - William Desert**





\*LV crossover sku = DLV706 - Chopin Maple

# **DEV706 - Fredrick Maple**



\*LV crossover sku = DLV707 - Mercury Mist

# **DEV707 - Mayfield Mist**





\*LV crossover sku = DLV 908 - McCartney Mocha

**DEV708 - Morrison Mocha** 





\*LV crossover sku = DLV909 - Grande Grey

**DEV709 - Gaga Grey** 





### Why choose Duet EVP?

### ULTIMATE FLEXIBILITY

All colours are available in both locking Engineered Vinyl Plank and Loose Lay Luxury Vinyl constructions. This lets you to enjoy the same pattern throughout your space, regardless of the installation requirements of a room.

### QUIET

Planks come with an attached pad that deadens the sound within the room, as well as decreases the sound transmission to the room below. A great choice for busy homes and multi-story buildings.

### WATERPROOF

100% waterproof against topical moisture. The ideal flooring for moisture-prone areas such as kitchens, bathrooms, laundry rooms, and basements.

#### **EXCEPTIONAL DURABILITY**

The 20mil wear layer allows us to offer a Lifetime Limited Residential / 12 Year Limited Medium Commercial wear warranty, ensuring your space will look its best for many years to come.

### EASY TO INSTALL

Planks are easy to install and lock securely in place to form a floating floor with exceptional performance.

#### INDOOR AIR QUALITY

Made from premium Low VOC and DOP-free virgin materials. FloorScore® Certified and free of Ortho Phthalates, Formaldehyde, and Heavy Metals.

SIZE Planks: 7.25" x 48"

5mm (4mm core + 1mm attached pad) **GAUGE** 

WEAR LAYER 0.5mm (20mil)

2G/2G Locking System (Floating) INSTALLATION

> **FINISH** Polyurethane w/ Antimicrobial

SQ FT PER CARTON 24.16 sqft

WEAR WARRANTY Lifetime Limited Residential

12 Year Limited Medium Commercial

**IIC RATING** 

72\* STC RATING

72\*

\*results vary based on building construction.





<sup>\*</sup>Coordinating Flush Stair Nose, T-Mold, and Reducer available in each colour.